
## Phospho-Stat4 (Tyr693) (113B-D5) rabbit mAb

www.abwizbio.com Support: info@abwizbio.com Order: sales@abwizbio.com

Catalog: #2740 Store at: -20°C


For Research Use Only. Not For Use In Diagnostic Procedures.

<b>Applications</b> Flow Cytometry	<b>Detection</b> Anti-Rabbit IgG	<b>Clonality</b> Monoclonal	<b>Isotype</b> Rabbit IgGk
Format:	Unconjugated		
Cross Reactivity:	Predicted to work with mouse, rat and other homologues.		
Formulation:	1X PBS, 0.02% NaN3, 50% Glycerol, 0.1% BSA		
Preparation:	Protein A+G		
Reactivity:	Human,Mouse		
Recommended Usage:	For flow cytometric staining, the suggested use of this reagent is 5 $\mu$ L per million cells or 5 $\mu$ L per 100 $\mu$ L of staining volume. It is recommended that the reagent be titrated for optimal performance for each application. See product image legends for additional information.		
Immunogen:	A synthetic phospho-peptide corresponding to residues surrounding Tyr693 of human phospho Stat4		
Description:			
References:	Kaplan MH, Sun Y, Hoey T, and Grus Chang H, Zhang S, Oldham I, Naege of Biological Chemistry. 278: 32471	er L, Hoey T, and Kaplan M	



Phospho-STAT4 (Y693)

Flow cytometric analysis of K562 cells treated with imatinib (red) or treated with IFN $\alpha$  + IL-4 + pervanadate (green) and stained using Phospho-Stat4 (Tyr693) antibody Stat4Y693-113B-D5 at 0.05 µg/mL Cat #2740, or concentration matched isotope control #2141 for imatinib (brown) or IFNa+IL4+PV treated (blue).



Peptide bloking flow cytometry analysis of K562 cells treated with imatinib (red) or treated with IFNa+IL4+PV (light green) or treated with imatinib (brown) or treated with IFNa+IL4+PV (blue) and blocked with phospho-peptide or treated with imatinib (yellow) or treated with IFNa+IL4+PV (dark green) and blocked with non-phospho-peptide using Phospho-STAT4 (Tyr693) antibody Stat4Y693-113B-D5 at 0.05 ug/mL. Cat#2740